

Attachments / Sweeper Specifications

Units US

	Sweeper - 44"	Sweeper - 54"	Sweeper - 60"	Sweeper - 72"	Sweeper - 84"
Operating Weight	555 lb	650 lb	758 lb	845 lb	1029 lb
Length	51 in	51 in	55.7 in	55.7 in	61.4 in
Width	48.3 in	58.3 in	66.2 in	78.2 in	89.9 in
Height	22.9 in	22.9 in	23.4 in	23.4 in	26.6 in
Bucket Capacity	6.6 ft ³	8.2 ft ³	12 ft ³	14.4 ft ³	18.5 ft ³
Bristle Material	Replaceable Polypropylene sections (steel sections avail.)	Replaceable Polypropylene sections (steel sections avail.)	Replaceable Polypropylene sections (steel sections avail.)	Replaceable Polypropylene sections (steel sections available)	Replaceable Polypropylene sections (steel sections available)
Travel Direction	Forward/Reverse	Forward/Reverse	Frwd/Reverse	Forward/Reverse	Forward/Reverse
Bristle Sections (Incl. w/Swpr)	21	26	30	36	42
Broom Diameter	21.5 in	21.4 in	21.4 in	21.4 in	24 in
Broom RPM	185	185	215	215	215
Broom RPM@	15 gal/min	15 gal/min	15 gal/min	15 gal/min	15 gal/min
Cutting Edge (Repl. Steel)	5/8" x 6"	5/8" x 6"	5/8" x 6"	5/8" x 6"	5/8" x 6"
Overall Attachment Width	48.3 in	58.3 in	66.2 in	78.2 in	89.9 in
Sweep Width	44 in	54 in	60 in	72 in	84 in

Compatible Carriers

Skid-Steer Loaders					
Bobcat A770				■	■
Bobcat S64				■	
Bobcat S66				■	
Bobcat S70	■				
Bobcat S76				■	■
Bobcat S450		■	■		
Bobcat S550			■	■	
Bobcat S570			■	■	
Bobcat S590			■	■	
Bobcat S595			■	■	
Bobcat S650				■	■
Bobcat S740				■	■
Bobcat S770				■	■

Compact Track Loaders					
Bobcat T64				■	
Bobcat T66				■	
Bobcat T76				■	■
Bobcat T450		■	■		
Bobcat T550			■	■	
Bobcat T590			■	■	
Bobcat T595			■	■	
Bobcat T630				■	■
Bobcat T650				■	■
Bobcat T740					■
Bobcat T770					■

Mini Track Loaders					
Bobcat MT55	■				

Bobcat MT85	■				
-------------	---	--	--	--	--

Toolcat™ Work Machine

Bobcat 5600		■	■		
-------------	--	---	---	--	--

Bobcat 5610		■	■		
-------------	--	---	---	--	--

Telehandler

Bobcat V519					■
-------------	--	--	--	--	---

Small Articulated Loader

Bobcat L23	■	■			
------------	---	---	--	--	--

Bobcat L28	■	■			
------------	---	---	--	--	--

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.